INTRODUCING

The NEW Slimline® Jet Collection



SlimlineJets

The latest in our NEW Hydromassage bath jets



- Stainless steel and chrome-plated ABS
- Easy to install and service
- NEW stylish look and modern design
- NEW flush to the shell and unobtrusive
- NEW ultra low profile and smooth to the touch

BALBOA water group



THE SLIMLINE® COLLECTION INCLUDES

Hydromassage side and back jets, air jets,
suction and pneumatic button

We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Slimline Air Massage





10473-V
Air jet elbow
⅜" barb



10474-V
Air jet tee
⅜" barb




13468-PC
13468-WH
Air jet, 1 1/16" (17.5 mm), thread length 1 1/16" (17.5 mm) include gasket




13468L-PC
13468L-WH
Air jet, 1 1/16" (17.5 mm), thread length 1 5/8" (41 mm) include gasket

Tool Use: Standard 7/16" hex (Alen) wrench

Size Measurements



Minimum and Maximum Bath Tub Wall Thickness



We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group


SLIMLINE® JET COLLECTION

Slimline Air Massage

Balboa Water Group proudly introduces the latest in our NEW Hydromassage bath jet collection: our **Air Massage.**

Among the many attractive features of Balboa's newest Air Massage collection are the stylish looks and modern designs. The jets are truly low profile. They're flush and unobtrusive. The ultra low profile is smooth to the touch and aesthetically pleasing.





10471-V
Air jet elbow
⅜" barb



10472-V
Air jet tee
⅜" barb



10470-V
Gasket




102300-PC
102300-WH
Air jet multi hole, ¾" (19 mm), thread length 13⁄16" (21 mm)




102300L-PC
102300L-WH
Air jet multi hole long version, ¾" (19 mm), thread length 1⅝" (41.2 mm)

Size Measurements




Minimum and Maximum Bath Tub Wall Thickness



We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Slimline Air Massage



Slimline Air Jet Quick Connect Ø19mm/.75"

Material No. 102400-PC
Chrome plated brass, chrome plated ABS


Material No. 102400-WH
Chrome plated brass, white ABS



Hole Size

Hole Size: 14mm/.55"
Tool: Standard spanner

- Integrated high quality check valve
- Includes O-ring



We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Slimline Micro Back Jet

Balboa Water Group proudly introduces the latest in our NEW Hydromassage bath jet collection: our **Slimline Micro Back Jet**.

The Micro Back Jet functions mainly as a source to help soothe a specific area used for the back. It is simple, functional, and effective.





23826-V
1/4" Orif x 26mm smooth barb
23834-V
1/4" Orif elbow x 3/4" barb
23835-V
1/4" Orif elbow x 1/2" barb
23836-V
1/4" Orif elbow LH x 1/2" barb
23838
1/4" Orif elbow RH x 1/2" barb
23835M
1/4" Orif tee x 20 mm
23810M
1/4" Orif tee x 32 mm

Other sizes available, check with your sales representative for more information.



202209 WF
Jet Body Micro
3/8" Barb x 1/2" OD



282201-PC
Micro Back Jet Stamp
Metal Escutcheon



202201-PC
202201-CW
Micro Jet Front
Chrome 1 1/2"



202204
Gasket for 202209
202206
Gasket for 202269-V



202269-V
Jet Body Micro
3/8" Barb x 26mm




182096-PC
182096-CW




202288-PC
Micro Jet Front
Pulse

Tool Use: Standard ⅜" hex (Alen) wrench


Size Measurements






1¾" (44.5 mm)

Minimum and Maximum Bath Tub Wall Thickness





We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Slimline Flow-Adjustable Directional Eyeball and Swirl Jets

Balboa Water Group proudly introduces the latest in our NEW Hydromassage bath jet collection: our **Slimline Flow-Adjustable Directional Eyeball Jet.**

The Slimline Flow-Adjustable directional jet can be considered the middle of the road option between the Micro Jet and Trans-Adjustable Jet. However, the performance is anything but middle of the road! A simple touch on the face of the jet allows you to direct the jet's directional eyeball to provide pin-point relief. As with all the Slimline collection, it has the attractive low profile look and feel.





202310A
Jet Body 1" x 1/2" ID


202310AM
Jet Body 20-32 MM

202520A
Jet Body 1"S x 3/8"B

202312A-CL
Jet Body 1 x 1/2 0.187 Orif



282301-PC
282301-WH
Slimline Ring



202306
Wall Fitting

202306-CL
Wall Fitting Clear



202309
Gasket for 202520A

202314
Gasket for 20295-V

202318
U Shape Gasket for 202520A



202300-PC
Adjust. Front Esc. & Clear Eyeball

202300-CW
Adjust. Front Esc.& Eyeball White

202316-PC
Adjust. Front Esc. & PC Eyeball

202300-CL
Adjust. Clear Adjust. Esc. & Eyeball





202315-PC/CW
Esc. + Clear Pulse

202320-PC
Chrome Esc. + Chrome Eyeball

Installation Tool: 202308


Size Measurements






2.45" (62.3 mm)

Minimum and Maximum Bath Tub Wall Thickness





We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Large Trans-Adjustable Jet

Balboa Water Group proudly introduces the latest in our NEW Hydromassage bath jet collection: our **Slimline Large Trans-Adjustable Jet**.

This is the supreme jet of the series! The low profile looks great, feels good to the touch and performs even better. The Trans-Adjustable jet face can be directed at a touch. The twist of the center star grip helps to regulate the flow from a generous flow to a complete stop.





202410
Jet Body 1/2" x 1" ID

202410M
Jet Body 20 x 32 mm ID

202412M
V-Jet Body 32 mm ID



282401-PC
282401-CW
Slimline
Trans-Adjustable
Metal Escutcheon



202401-PC
202401-CW
Slimline
Trans-Adjustable
Wall Fitting




202450-PC
202450-CW
Star Grip Internal 0.330"
Orifice Chrome




202452-PC
Internal round
grip 0.330"
Orifice Chrome

Intallation Tool: 22556-V
Installation Tool Internal: 22556-V opposite end


Hole Size Measurement






3⅜" (86 mm)

Minimum and Maximum Bath Tub Wall Thickness



.060" (1.5 mm)
Min. Wall Thickness



.455" (11.5 mm)
Max. Wall Thickness

We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Pneumatic Air Button






182096-PC
182096-CW
Slimline Ring chromeplated ABS/ white PVC



132296-PC
132296-CW
Pneumatic button chromeplated ABS/ white PVC including nut

Measurements



Hole size: 1 3/4″ (45mm)

We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

SLIMLINE® JET COLLECTION

Suction



Balboa Water Group has extended the Slimline range and designed a slim, minimalistic suction that will complement any whirlpool. The suction has a flow rate of 101 GPM/23 m3/h and the complete suction has a safety relief function, to guarante your safety while relaxing in your whirlpool.



73890
Elbow for safety relief 3/8" barb



8010156
Clamp



20-0838



302201
302201M
Safety suction elbow 50 mm ID white PVC



282401-PC
282401-CW
Escutcheon chromeplated stainless steel/ Classic White




302200-PC
302200-CW
Suction front cover chromeplated ABS /Classic White



302203
Gasket

Intallation Tool: 302210

Measurements



- UL-Approved
- High flowrate 23 m3/H / 101GPM
- Safety relief suction

Hole size: 2.875" -0 + 0.125" (73mm -0 + 3mm)

We reserve the right to change technical data without further notice.
All rights reserved. ©2016 Balboa Water Group

Balboa Water Group World-Wide

BALBOA WATER GROUP
www.balboawater.com

Corporate Office, Tustin, California
Electronic Manufacturing
1382 Bell Avenue
Tustin, California 92780
P 714.384.0384
F 714.384.0385

Valencia, California
Whirlpool Spa and Bath Manufacturing
28545 Livingston Avenue
Valencia, California 91355
P 714.384.0384
F 714.384.0385

Varde, Denmark
European Sales Division
Roustvej 50
DK-6800 Varde, Denmark
P +45.75.22.46.88
F +45.75.22.52.45

Melbourne, Australia
Australian Sales Division
P 1.800 137 879
F 1.800 0703 233

