









Balboa Ultrazo, ne SANITATION SYSTEMS FOR BATH

Disinfect your water naturally

OVERVIEW

- \cdot Ultrazo₂ne[™] produces powerful oxidant.
- Ultrazo₃ne[™] disinfects water by killing viruses and biological contaminants.
- · Low power consumption.
- Designed & tested specially for bath applications.
- · Available in 120V or 240V. 50/60Hz.
- · Small and compact unit
- · UL/cUL.



FOR MORE INFORMATION

Visit us online: www.balboawater.com/BathUltrazo3ne





Ultrazo,ne™

SANITATION SYSTEMS FOR BATH

THE ULTRAZO, NE™ FAMILY

The Ultrazo, ne[™] family of ozone generators were designed by Balboa, the leader in reliability in bath controls for over 20 years. These compact ozone generators were created specifically to withstand the demanding environment of the bath tub. Our compact ozone generators have a smaller footprint and save energy as well. Balboa ozone generators are fully epoxy potted protecting them from harsh corroding environments and they produce stable ozone output over a wide range of temperatures.

WHY BALBOA'S ULTRAZO, NE™ OZONE GENERATORS ARE SUPERIOR



Bath Solutions

Powerful ozone generators are designed for bath applications



Electronic Supply Included electronic power



Communications LED indicator light

More flexibility with more choices:

Low Power Consumption (1/3 the energy of conventional UV generators)

Available in 120V & 240V | 50/60Hz

> Unique design CD Ozone Cell with solid stainless-steel electrode for exceptional longevity

No air gaps, no exposed contacts & no corrosion

Fully epoxy potted

Tested by UL

Thick, built-in mounting tabs for easy installations

Compact and smaller footprint

Conform to standards: UL 1795, CSA C22.2 No. 218.1-13

IPX5 Rated

Double Insulation rated

High shock, vibration and drop resistant

Cool operation with low heat generation

Super low production & field failure rates

Silicone air filter included

Enclosure & inlet/outlet barbs are made with UV /Ozone resistant plastics

Extra thick inlet/outlet barb to prevent breakage




Ultrazo₃neTM

SANITATION SYSTEMS FOR BATH

DIMENSIONS

(Standard Configuration)



SPECIFICATIONS

	120V	
Agency Model No.:	OZBWG-120V	OZBWG-120V
Bulk Part No.:	59323	59125
Kit Part No.:	59323-KIT	59125-KIT
Rating:	120VAC, 0.1A(Max.), 50/60Hz	120VAC, 0.1A(Max.), 50/60Hz
Ozone Output: Air flow at 0.8L/min	50mg/hr	50mg/hr
Approval Marks	UL/cUL	UL/cUL
Cable:	3ft cable J&J Plug	3ft cable Piggyback Plug

Note: Kit includes 1 ea. Ultrazo₃ne[™], 1 ea. 1/4" x 3/8" check valve, 3ft. 1/4" ID x 3/8" OD Tubing, 2 ea. 3/8" clamps, 1 ea. air filter, 1 ea. installation manual and individually packed. * Custom ozone outputs, input power connectors and private labels are available upon request.

